

Approved by: General Manager

Author: Manager HSE

Dev. Date: 01-01-19


Issued To: All Concerned

Title: Material Safety Data Sheet Calcium Chloride Flakes 77 – 100 %

MSDS CALCIUM CHLORIDE FLAKES 77 – 100%

Section	Contents	Page #	
	CONTENTS		
	AMENDMENT PAGE	2	
1	CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	3	
2	COMPOSITION, INFORMATION ON INGREDIENTS	3	
3	HAZARDS IDENTIFICATION	3	
4	FIRST AID MEASURES	4	
5	FIRE FIGHTING MEASURES	4	
6	ACCIDENTAL RELEASE MEASURES	4	
7	HANDLING AND STORAGE	5	
8	EXPOSURE CONTROLS, PERSONAL PROTECTION	5	
9	PHYSICAL AND CHEMICAL PROPERTIES	5	
10	STABILITY AND REACTIVITY	6	
11	TOXICOLOGICAL INFORMATION	6	
12	ECOLOGICAL INFORMATION	7	
13	DISPOSAL CONSIDERATIONS	7	
14	TRANSPORT INFORMATION		
15	REGULATORY INFORMATION	8	
16	OTHER INFORMATION	8	

DOCUMENT	NAME/ DESIGNATION
Approved By	Engr. Yazeed Ali Al-Ayed / General Manager
Reviewed By	Rizwan M. Hussain / HSE Manager
Issued By	Rizwan M. Hussain / HSE Manager / MR



Approved by: General Manager

Author: Manager HSE

Dev. Date: 01-01-19

Issued To: All Concerned

Title: Material Safety Data Sheet Calcium Chloride Flakes 77 – 100 %

MSDS CALCIUM CHLORIDE FLAKES 77 – 100%

	AMENDMENT PAGE						
Sr. No.	Date Of Amendment	Page No.	Issue Status	Description			
1	23-10-2022	3	00	Global Harmonized System (GHS) Labeling incorporated.			
2							
3							
4							
5							
6							
7							
8							
9							
10							



SAUDI FACTORY FOR CHLORINE & ALKALIES

Document No: MSDS-06

Issue Status: 001

Page: 3 of 8

Approved by: General Manager

Author: Manager HSE

Dev. Date: 01-01-19

Issued To: All Concerned

Title: Material Safety Data Sheet Calcium Chloride Flakes 77 – 100 %

MSDS CALCIUM CHLORIDE FLAKES 77 – 100%

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUBSTANCE: Calcium Chloride TRADE NAMES/SYNONYMS: Calcium chloride anhydrous **CHEMICAL FAMILY:** Inorganic Compound

SECTION 2: COMPOSITION, INFORMATION ON INGREDIENTS


COMPONENT: CALCIUM CHLORIDE CAS NUMBER: 10043-52-4 **PERCENTAGE:** > 77% & < 100%

SECTION 3: HAZARDS IDENTIFICATION

Emergency Overview: CAUSES SERIOUS EYE IRRITATION! WASH SKIN THOROUGHLY AFTER HANDLING, WERAR PROTECTIE **GOLVES AND CLOTHING, EYE AND FACE PROTECTION**



NFPA RATINGS (SCALE 0-4): HEALTH=2 FIRE=0 REACTIVITY=2 **EMERGENCY OVERVIEW: COLOR:** White or cream **PHYSICAL FORM:** Flakes



MAJOR HEALTH HAZARDS: Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator)

POTENTIAL HEALTH EFFECTS:

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance may be toxic to heart, cardiovascular system. Repeated or prolonged exposure to the substance can produce target organs damage.



میاکلی SACHLO

SAUDI FACTORY FOR CHLORINE & ALKALIES

Document No: MSDS-06

Issue Status: 001

Page: 4 of 8

Approved by: General Manager

Author: Manager HSE

Dev. Date: 01-01-19

Issued To: All Concerned

Title: Material Safety Data Sheet Calcium Chloride Flakes 77 – 100 %

MSDS CALCIUM CHLORIDE FLAKES 77 – 100%

SECTION 4: FIRST AID MEASURES

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation: Not available.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Serious Ingestion: Not available.

SECTION 5: FIRE FIGHTING MEASURES

Flammability of the Product: Non-flammable. Auto-Ignition

Temperature: Not applicable.

Flash Points: Not applicable.

Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

Explosion Hazards in Presence of Various Substances: Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: Not applicable.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Furan-2-peroxycarboxylic acid + calcium chloride causes explosion at room temperature.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Small Spill: Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

سياكلو SACHLO

SAUDI FACTORY FOR CHLORINE & ALKALIES

Document No: MSDS-06

Issue Status: 001

Author: Manager HSE

Page: 5 of 8

Approved by: General Manager

Dev. Date: 01-01-19

Issued To: All Concerned

Title: Material Safety Data Sheet Calcium Chloride Flakes 77 – 100 %

MSDS CALCIUM CHLORIDE FLAKES 77 - 100%

Large Spill: Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

SECTION 7: HANDLING AND STORAGE

Precautions: Keep locked up. Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as moisture.

Storage: Hygroscopic. Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not store above 30°C (86°F).

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

Engineering Controls: Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection: Safety glasses. Synthetic apron. Gloves (impervious).

Personal Protection in Case of a Large Spill: Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not available.



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state and appearance: Solid. (Crystalline solid.)
Odor: Odorless.
Taste: Saline.
Molecular Weight: 110.99 g/mole
Color: Colorless. White. Off-white.
pH (5% solution @ 20 °C is 9 - 11
Boiling Point: 1935 °C

سیاکلو SACHLO

SAUDI FACTORY FOR CHLORINE & ALKALIES

Document No: MSDS-06

Issue Status: 001

Author: Manager HSE

Page: 6 of 8

Approved by: General Manager

Dev. Date: 01-01-19

Issued To: All Concerned

Title: Material Safety Data Sheet Calcium Chloride Flakes 77 – 100 %

MSDS CALCIUM CHLORIDE FLAKES 77 – 100%

Melting Point: 773°C Critical Temperature: Not available. Density: @ 25°C = 2.16 g/cm³ Vapor Pressure: Not applicable. Vapor Density: Not available. Volatility: Not available. Volatility: Not available. Odor Threshold: Not available. Water/Oil Dist. Coeff.: Not available. Ionicity (in Water): Not available. Dispersion Properties: See solubility in water, acetone. Solubility: Easily soluble in cold water, hot water, acetone. Freely soluble in alcohol. Soluble in Acetic Acid.

SECTION 10: STABILITY AND REACTIVITY

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Incompatible materials, moisture.

Incompatibility with various substances: Reactive with moisture.

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity: Hygroscopic. Reacts violently (violent boiling) with water, generating heat. Forms flammable gases and evolves hydrogen when reacted with zinc. Solutions attack some metals. Generates heat and violent polymerization occurs when mixed with methyl vinyl ether. Bromine trifluoride reacts violently with and attacks calcium chloride.

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

Routes of Entry: Absorbed through skin. Inhalation. Ingestion.

Toxicity to Animals: Acute oral toxicity (LD50): 1000 mg/kg [Rat].

Chronic Effects on Humans: MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast. May cause damage to the following organs: heart, cardiovascular system.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator).

Special Remarks on Toxicity to Animals: Lowest Published Lethal Dose: LDL [Rabbit] - Route: Oral; Dose: 1384 mg/kg **Special Remarks on Chronic Effects on Humans:** May affect genetic material based on animal data. May cause cancer (tumorigenic) based on animal data.

میاکلیں SACHLO

SAUDI FACTORY FOR CHLORINE & ALKALIES

Document No: MSDS-06

Issue Status: 001

Page: 7 of 8

Approved by: General Manager

Author: Manager HSE

Dev. Date: 01-01-19

Issued To: All Concerned

Title: Material Safety Data Sheet Calcium Chloride Flakes 77 – 100 %

MSDS CALCIUM CHLORIDE FLAKES 77 - 100%

Special Remarks on other Toxic Effects on Humans: Acute Potential Health Effects: Skin: May cause severe irritation and possible burns, especially if skin is wet. Contact with dry skin causes mild irritation. Contact of solid with moist/wet skin or skin contact with strong solutions may cause marked irritation or possible burns. Eyes: May cause severe irritation, possible transient corneal injury, and possible eye burns. Inhalation: May cause severe irritation of the upper respiratory tract with pain, inflammation and possible burns. Ingestion: May cause severe gastrointestinal (digestive) tract irritation with nausea, vomiting and possible burns. May affect cardiovascular system (cardiac disturbances, slow heart beat), behavior (seizures), metabolism, blood, and brain, respiration (rapid respiration). Chronic Potential Health Effects: effects may be delayed.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: Ecotoxicity in water (LC50): 100 mg/l 96 hours [Fish].

BOD5 and COD: Not available.

Products of Biodegradation: Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are less toxic than the product itself. **Special Remarks on the Products of Biodegradation:** Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Waste must be disposed of in accordance with federal, state and local environmental control regulations.

SECTION 14: TRANSPORT INFORMATION

DOT Classification: Not a DOT controlled material (United States). **Identification:** Not applicable. **Special Provisions for Transport:** Not applicable.

ىىياكلىو SACHLO

SAUDI FACTORY FOR CHLORINE & ALKALIES

Document No: MSDS-06

Issue Status: 001

Page: 8 of 8

Approved by: General Manager

Author: Manager HSE

Dev. Date: 01-01-19

Issued To: All Concerned

Title: Material Safety Data Sheet Calcium Chloride Flakes 77 – 100 %

MSDS CALCIUM CHLORIDE FLAKES 77 – 100%

SECTION 15: REGULATORY INFORMATION

Federal and State Regulations: TSCA 8(b) inventory: Calcium chloride, Anhydrous Other Regulations: EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances. Other Classifications: WHMIS (Canada): CLASS D-2B: Material causing other toxic effects (TOXIC). DSCL (EEC): R36- Irritating to eyes. S2- Keep out of the reach of children. S22- Do not breathe dust. S24- Avoid contact with skin. HMIS (U.S.A.): Health Hazard: 2 Fire Hazard: 0 Reactivity: 1 Personal Protection: C National Fire Protection Association (U.S.A.): Health: 2 Flammability: 0 Reactivity: 2 Specific hazard: Protective Equipment: Gloves (impervious). Synthetic apron. Wear appropriate respirator when ventilation is inadequate. Safety glasses.

SECTION 16: OTHER INFORMATION

MSDS SUMMARY OF CHANGES

SECTION 15 REGULATORY INFORMATION

SACHLO MAKES NO EXPRESS OR IMPLIED WARRANTIES, GUARANTEES OR REPRESENTATIONS REGARDING THE PRODUCT OR THE INFORMATION HEREIN, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR USE. SACHLO SHALL NOT BE LIABLE FOR ANY PERSONAL INJURY, PROPERTY OR OTHER DAMAGES OF ANY NATURE, WHETHER COMPENSATORY, CONSEQUENTIAL, EXEMPLARY, OR OTHERWISE, RESULTING FROM ANY PUBLICATION, USE OR RELIANCE UPON THE INFORMATION HEREIN.